

Automation of SAP ERP Processes Using Agentic Bots and UiPath Framework

Naren Swamy Jamithireddy

Jindal School of Management, The University of Texas at Dallas, United States

Email: naren.jamithireddy@yahoo.com

Received: November 30, 2024; Revised: January 18, 2025; Accepted: February 22, 2025; Published: March 11, 2025

Abstract

This research focuses on an automation approach to implementing SAP ERP processes with the help of agentic bots created in the UiPath RPA platform. As enterprise resource planning systems become increasingly complex, manual processes using SAP from the modules becomes more time-consuming, increases errors, and results in highly detailed operational workflows. Using appropriate intelligent, event-driven agentic bots, and combining them with automation functionalities of UiPath, this research exhibits remarkable efficiency improvements in finance, purchasing, and human resource SAP modules. The method used was partitioning of the SAP domain into set SAP tasks that can be automated using reusable automation patterns with the support of custom bots, then measuring how fast the bots could execute the tasks compared to doing them manually. Experiments indicate that the bots were able to perform tasks with up to 72% less execution time, while also displaying more precise results and better handling of exceptions. In addition, the paper looks at scalability, organizational acceptance, and post-deployment results with different business situations. These results highlight the cognitive automation paradigm on enterprise systems as well as suggest a base model for transforming SAP systems based on RPA technology.

Keywords: SAP Automation, Agentic Bots, UiPath, Robotic Process Automation (RPA).

1 Introduction

1.1 Background of ERP Automation

Today's large organizations have come to rely almost fully on digital technology to integrate key functions such as finance, operations, human resources, procurement, and logistics. The SAP system is one of the most commonly used platform across various industries such as manufacturing, retail, energy, and government [1]. The value offered by ERP systems are often undermined by SAP landscapes where manual activities, complex navigation flows, rigid business logic, and cross-validation by users are a must. Such dependencies have greatly limited the speed and scope with which the ERP systems can respond to market dynamics and digital transformation needs [2].

Automation in ERP systems has always been complicated, because it needed custom code and scripting done in SAP GUI or BAPIs. In certain scenarios, these methods were effective, but they created additional burdens such as lengthy development cycles, maintenance overhead, and brittle integration points [3]. Additionally, the problem was not only technical. By its very nature, ERP processes are complicated and typically require the involvement of many users, multiple departments, and long approval chains. This makes automation even more complicated—intelligent automation is needed that mimics human decision making, considers compliance, and interacts between old and new SAP layers [4].

The gap was closed with the introduction of Robotic Process Automation (RPA). RPA technology enables
Research Briefs on Information & Communication Technology Evolution (ReBICTE), Vol. 11, Article No. 04 (March 11, 2025) DOI: <https://doi.org/10.64799/rebict.e.v11i.212>

the use of digital laborers (bots) that can manipulate and interact with software applications without using invasive methods [5]. However, first generation RPA bots did not understand context, and would often fail in environments where aspects such as screen elements or steps of the transaction changed, meaning that change was not permanent. Consequently, astute and flexible options for ERP automation were sought.

This is where the reconciled view of agentic bots comes into play. Agentic bots are autonomous digital agents that are able to detect environmental parameters, understand user settings, and make logical decisions based on predefined rules, business logic, and AI features. When deployed in sophisticated RPA ecosystems, such as UiPath, these bots obtain the ability to exceed static scripting. They are capable of responding to events, utilizing multiple systems, and orchestrating workflows with conditional logic, exception handling, and learning. The combination between agentic automation and SAP ERP creates new opportunities for improvement in optimization of enterprise processes.

1.2 Role of Agentic Bots and RPA in SAP

The implementation of agentic bots in SAP system through UiPath offers high degrees of automation with no need to change fundamental configurations of SAP systems [6]. These bots are intelligent agents who can execute SAP T-code translations, walk through graphical user interface trees and validation paths, and initiate downstream validation flows. Even more, these bots may be scheduled or system triggered, or they may use the human-in-the-loop model for processes that have compliance approvals or supervisory controls [7].

No single proprietary technology accelerates a process as quickly as RPA leaves. Multilevel advancement types are built upon the structure of agentic bots, which have their advantages. Transaction bots are located at the innermost layer where they impersonate typical SAP data fed, while decision bots evaluate data from tables or forms and use it to set values in context. Event-driven bots respond to new items entered in a work queue or database, whereas scheduler bots control the timing of processes, like batch invoice posting. Monitoring bots scan logs and system messages for failed processes or other anomalies [8].

Through the specialized dashboards, these bots can be supervised and used as attended or unattended execution modes from centralized virtual machines. Using the UiPath framework as the orchestration layer, analytics can be done in real time and exception monitoring can be automated alongside queue handling. Users can manage the bot via the UiPath Orchestrator and build workflows visually through the low-code environment of the UiPath Studio. This modular design helps support copious amounts of SAP sites with mismatched requirements throughout the entire company.

Aside from internal systems, other enterprise platforms also assist SAP, which in turn boosts the level of RPA adoption in the software. Not needing human interaction to consume APIs, or inter-linked web portals, and external CRM or finance systems makes bots built in UiPath easier to deploy. The singular ecosystem can handle the entire lifecycle from mining processes to deploying and optimizing bots.

In parallel, agentic bots based on UiPath have become a driving force within the organization as it attempts to automate Finance, Procurement, HR, Supply Chain, and Compliance activities in SAP. Intelligent automation can now be applied outside an SAP business rules engine or a customized SAP backend. Reduced operational cost, speed and accuracy improvement, better compliance, and increased employee satisfaction due to disengagement from mundane work are some of the advantages. Core SAP modules with the greatest automation potential and the corresponding types of bots usually employed are shown in the table below.

Table 1: Overview of Key SAP Modules Targeted for Automation

SAP Module	Key Automated Processes	Bot Type
FI (Financial Accounting)	Invoice posting, reconciliation, payment runs	Transaction Bot
MM (Materials Management)	Purchase order creation, goods receipt automation	Decision Bot
SD (Sales & Distribution)	Sales order entry, billing automation	Transaction Bot
HCM (Human Capital Management)	Employee onboarding, payroll processing	Event-Driven Bot
PP (Production Planning)	Material requirement planning, order release	Scheduler Bot

PM (Plant Maintenance)	Work order scheduling, equipment inspection logs	Monitoring Bot
------------------------	--	----------------

Automation use cases in SAP are different from one module to the other. In Financial Accounting (FI), transactional bots are great for automating monotonous GL posting and vendor payment processes. In Materials Management (MM), decision bots that select a vendor from a given set of vendors based on cost and delivery conditions improve efficiency. Onboarding Human Resources (HR) processes in Human Capital Management (HCM) require event bots that operate based on triggers, like the creation of an employee record. In Plant Maintenance (PM) and Production Planning (PP) the use of monitoring and scheduler bots is expected to ensure that processes flow continuously and planned orders are completed.

The application of agentic bots across various SAP modules with regards to functional coverage evaluations is illustrated in Figure 1. The Financial Accounting (FI) and Sales & Distribution (SD) modules have the highest automation coverage because these two are very structured in terms of transaction flow and are often used in high volume scenarios. However, Plant Maintenance (PM) modules demonstrate lower levels of automation saturation because there is a wider range of variability in types of equipment, documentation, and other less organized data sources like inspection reports.




Figure 1: Functional Coverage of SAP Modules by Automation Bots

1.3 Objectives and Scope of the Study

The purpose of this project is to design, implement, and analyze agentic automation workflows in a live SAP environment on the UiPath RPA platform. The primary assumption is that agentic bots will provide a measurable enhancement in speed, accuracy, and general experience to users for both high volume transactional processes and low frequency exception based workflows in SAP. In addition, the project aims to capture baseline values of bot performance with user adoption and post-deployment maintenance cost for the system.

This project integrates FI, MM, SD, HCM, PP, PM twelve modules of SAP Automation, and attends to processes with both attended and unattended bots. This also includes stakeholder impact case selection, workflow design within UiPath Studio, execution environment configuration, and benchmark performance analysis and logging in real-time process data.

The analysis covers system efficiency metrics like time saved, errors reduced, and other non-system factors like users feedback, and inter departmental relations concerning digital transformation activities captured within the scope. With outlined process architecture and supporting documentation like performance metrics, exception handling, and governance structures, these set of research results serve as a foundation for engineering design automation prototypes enterprise-level SAP automation with SAP R/3. Other identified issues include SAP GUI changes, credential issues, non-compliance, and lack of scalability that provide other organizations with useful information to address these problems at varying levels of RPA sophistication.

In summary, these concluding remarks will provide the motivation for posing research questions that explain the intelligent automation of SAP by means of agentic bots and UiPath. The next chapter will focus on the study of available literature on RPA tools and ERP systems automation, and then move on to detailed methodology, experimental results, performance evaluation, and tangible results of the implementation for enterprise-wide automation.

2 Literature Review

2.1 Existing Automation Tools for ERP Systems

Integrated suites like SAP's ERP systems encompass various domains including finance, logistics, human resources, production, and procurement [9]. With digital transformation at the forefront for many organizations, the need for automation within workflows has accelerated the adoption of Robotic Process Automation (RPA) platforms. RPA is well-suited for SAP environments because it can automate repetitive and rule-based processes that need little or no changes to the existing ERP software.

Over the last decade, several RPA tools are gaining popularity due to their varying features in usability, scalability, and integration with other systems. UiPath, Blue Prism, Automation Anywhere, Microsoft Power Automate, and WorkFusion are some of the tools that have seen widespread adoption for automation in ERP systems. These tools differ from each other in terms of interfacing paradigms, support for AI interfacing, process mining and level of integration with SAP GUI and Fiori [10].

Take UiPath, for instance, it is exceptional for user friendliness as well as great integration with SAP environments. It has emerged as the most popular tool for many enterprises executing SAP RPA because of its low-code environment, ready-made activities for SAP systems, and attended and unattended bots. Not only does UiPath work with Orchestrator and Studio, but also the other way around. This means that not only IT staff, but also citizen developers can easily and quickly automate processes on their own without prior programming knowledge. Moreover, UiPath's robust against UI changes support for native SAP recording and dynamic selectors further enhances its integration capabilities [11].

Which doesn't mean that Blue Prism is weak. It does however have a wider focus, from governance to enterprise scale automation and with these features comes impressive control offered by Blue Prism's models. The software integrates seamlessly with traditional SAP modules, but user and deployment times are noticeably higher than those of UiPath. On the other hand, Automation Anywhere contracts provide great cognitive and cloud-native design capabilities and so is better suited for more spacious or hybrid cloud model SAP systems. On the downside, Automation Anywhere does not perform well in tightly coupled SAP environments because of too much variability in UI and the depth of transaction codes needing too many specific details.

Microsoft Power Automate can be integrated with Microsoft ecosystems and is often included in Office 365 subscriptions; however, it does not cope well with intricate SAP scenarios. Its robotic process automation (RPA) capabilities are evolving, but for now, they are still underdeveloped for transaction-heavy, high volume-shipping SAP applications. WorkFusion combines RPA with AI services such as Optical Character Recognition (OCR) and machine learning, making it more appropriate for content-centric workflows. Its support for ERP systems—particularly for SAP ECC and S/4HANA—is, however, rather immature and still

developing.

In Figure 2, we have evaluated the foremost RPA tools in a broad comparison using these benchmarks: usability, ERP integration, and scalability. The visual clearly indicates that UiPath wins all three categories as well as Automation Anywhere and Blue Prism. It is, however, apparent that the adoption of WorkFusion and Power Automate is growing, but they still lack in broad-based ERP automation.




Figure 2: Comparative Analysis of RPA Tools for ERP Environments

In summary, while there are various options when it comes to ERP automation, UiPath stands out with its native SAP features, unparalleled integration options, and highly sophisticated agentic workflows. It is especially suited for next-generation enterprise automation in complex, multilayered, and highly transactional environments like SAP.

2.2 RPA and Cognitive Automation Trends

RPA continues to evolve from the mere screen scraping and execution of rules to advanced intelligent automation. The need to automate simple, semi-structured, and even judgmental tasks within ERP systems is what has driven this shift. The industry is experiencing a paradigm shift due to the emergence of agentic bots – software agents that perform context-sensitive decision making and learning through feedback [12].

Like other vendors, UiPath is also working towards integrating NLP, AI, machine learning, and RPA. For instance, in UiPath, the AI Center provide the users with an option to embed pre-trained models or custom made ML workflows into the automation pipeline which enables bots to perform document classification, value extraction and prediction [13]. This feature is invaluable in A SAP workflows that deal with invoice classification, payment reconciliations, or even material requirement planning anomaly detection.

Cognitive Automation expands the perimeter of use cases that RPA can capture. While traditional bots efficiently execute deterministic paths, cognitive bots are able to handle exceptions, understand data types, and communicate with various systems [14]. They can use event triggers, perform pattern matching, and execute workflows in a non-linear fashion. This degree of flexibility in automation is invaluable for systems like ERP where a myriad of business rules, legal mandates, or even organization-specific practices cause divergence in

processes.

Figure 3 describes how ERP use cases are spread relative to the complexity of automation they have. Most of the available opportunities for automation in SAP range from low to medium complexity that includes structured work like data capture, data matching, and simple reporting. These operations are best suited for rule based bots. However, there are very few high complexity processes, but those that do exist are most burdensome to operate and most suited for use with agentic AI bots with full situational awareness and decision making capability.




Figure 3: Distribution of Use Cases by Automation Complexity

As enterprises mature in domain with RPA implementation within ERP environment, attention is shifting to hyperautomation, which combines RPA with AI, low-code development, or even business intelligence, which are integrated within one working process. Hyperautomation is supported in the UiPath fully integrated ecosystem, which enables understanding documents, task mining, and automation analytics all in one platform. Consequently, there is quick automation solution identification, implementation, and refinement across SAP modules.

An examination of literature indicates that there is heightened attention toward self-healing bots which are automation scripts capable of independently adapting to changes in screen format or SAP modifications with no human assistance. This ability is crucial in Sap settings which undergo frequent changes, upgrades, or customization that may render other bots useless. The bot resilience and maintainability in long term is improved by the use of anchors, dynamic selectors, and retry logic in UiPath.

2.3 Research Gap and Justification

Despite the advances on RPA and cognitive automation in ERP systems, there is still a lack of scholarly research on agentic bot architecture for SAP systems. The bulk of the research available seems to concentrate on single task automation such as capturing invoices or processing sales orders without higher level reasoning or collaboration between bots. There's also very little research on the impact of bot be automation on the performance of SAP systems, errors, and business continuity on negative impacts automation.

Also, very few explore the implementation stage of agentic bots from process capture, through design and execution to monitoring and retraining. Most papers address a gap through claiming the possibilities of RPA, while simply ignoring providing case study, outline, or performance with even minimal ERP load details. Therefore other experts are not able to pass the automation triumphs or broaden them in undertakings because of these assumptions.

An additional gap in the existing literature refers to the assessment of the degree of automation in various SAP modules. Each module poses its own set of problems owing to disparate transaction codes, process flows, degrees of user access, and compliance restrictions. However, the overwhelming number of publications consider SAP as a single integrated system and not as a collection of modules, which leads to automation and ROI inaccuracies across different modules such as FI, MM, SD, HCM, PP, and PM.

Furthermore, the academic integration of RPA research with practical tooling is virtually nonexistent. A large number of works put forward some generic models of automation without corresponding them to existing tools like UiPath, thus these studies can't be practically utilized. To effectively address the gap between research and industry use, there needs to be greater integration of the theoretical approach with tool implementation.

This research seeks to fill these gaps by conducting a detailed, impact-focused assessment of SAP ERP process automation through agentic bots deployed on the UiPath platform. It includes low- and high-complexity workflows, system architecture documentation, key performance indicator measurement, and the identification and analysis of issues related to bot design, execution, and maintenance. The focus on practical implementations and objective outcomes adds both empirical and practical insight to the body of knowledge on enterprise automation.

To recapitulate, even though RPA and cognitive automation offers promising prospects in ERP systems, there are still outstanding issues regarding agentic bot design, modular process mapping, and performance evaluation or even benchmarking specific to a platform. This paper addresses those issues by detailing a systemic and reproducible methodology to implement intelligent bots in SAP environments using UiPath and provides supporting quantitative and visual data.

3 Methodology

3.1 SAP Environment and UiPath Setup

The first step was to construct a simulated SAP ERP framework and incorporate agentic bots into the environment using the UiPath RPA tool. The SAP environment was structured as architecture of an enterprise, having six modules: Financial Accounting (FI), Materials Management (MM), Sales and Distribution (SD), Human Capital Management (HCM), Production Planning (PP), and Plant Maintenance (PM). Each module contained an assortment of transactional and master data such as vendor and customer files, material numbers, employee records, and even intricate configuration data for manufacturing plans and schedules, thus creating realistic workflows.

The primary development environment for building automation workflows was configured with UiPath Studio, which was used to install the automation development tools. Interaction with SAP systems was done by the bots using SAP GUI scripting and SAP Fiori as bot interface. Secure access was controlled through credential vaults, and to enforce restriction for separation of the bot and human users, role-based access control was applied. Bots were deployed, scheduled, and monitored with UiPath Orchestrator which enabled unattended execution and queue management while also providing feedback in the event of system or data errors.

All of the testbed was executed in a set of virtual machines inside a safe perimeter to mimic an enterprise

deployment scenario. In terms of automation run sequence, UiPath and SAP logging capabilities were turned on to monitor every transaction and decision point during automation runs. These set of conditions allowed detailed data collection, for instance, in the automated process time, number of steps taken, exceptions raised, and resolution times.

Integration between SAP and UiPath had several interfaces. The bots were able to perform user actions like typing, clicking, selecting from dropdowns, and tab navigation owing to the SAP GUI Scripting API. Used outlined built in SAP activities in UiPath to help with stability instead of using screen coordinates. APIs were also used when SAP offered GUI web services for example get document status or approve/reject workflow. This approach made the interaction faster and more reliable.

The automation workflows were evaluated in three modes of execution: attended (user initiated), unattended (timer based), and hybrid (event based). Apart from the technical accuracy of task accomplishment, each bot was assessed for its ability to respond to various screen elements like layouts, inputs, or user roles. These validations were essential in measuring the robustness and applicability of automation in actual SAP production environments.

3.2 Agentic Bot Architecture and Workflow

The bots that were executed in this particular study were crafted using an agentic architecture, meaning they could perceive, evaluate, and act independently within set business parameters. Static bots that operate according to given commands and procedures were not part of the study. Agentic bots are not fixed in form; they have a control unit that makes decisions through ascertaining specific conditions during the execution process. In total there are five essential layers that comprise each bot which are input, decision, tasks, errors, and audit log.

Input sensing modules gathered information from SAP screens, forms or other integrated systems. These modules applied OCR for non-structured inputs, while for structural they employed direct selectors or API calls. The invoice bot was able to fetch vendors 'codes from a PDF invoice utilizing OCR, however, he also needed to ensure that amounts were auditable through table looks in SAP.

The logic behind the decisions was built with a mix of conditional statements, data tables, or rule-based engines. In more complicated workflows, the bots also used UiPath's decision modeling to select other branches in the process. For example, the purchase order bot scanned the vendor contracts and decided whether to extend the contract or create a new PO.

Task execution modules received and processed orders sent from and to SAP, which included opening a T-code, typing information, saving data, and confirming pop-ups or messages. Many times, the bot needed to stop and wait until the SAP system responded before moving on. This type of waiting with a built in time limit was dealt with automatically.

Error handling was sophisticated through the use of several nested try-catch blocks, alerts per exception, and fallback strategies such as escalation to human-in-the-loop. Any unusual activity- missing field, some permission issue, or system not available - was recorded in detail and brought attention to Orchestrator dashboard flags.

Finally, every single action of the bot was recorded including when the bot started, what the bot did, and at what time. This helped to ensure compliance as well as continuous improvements to the procedures.

The typical agentic bot workflow is illustrated in Figure 4, which details the overarching stages, from logging in and out, as well as the number of distinct steps in each stage. As illustrated, the processing and validation portions were the most complex, typically consisting of multiple substeps and intermediate decisions.




Figure 4: Steps Involved in Automated Workflow Execution

3.3 Process Selection and Implementation Strategy

Five remarkable business processes were selected to be automated within the SAP modules. These were ordered by their frequency, degree of standardization, level of automation, and the anticipated ROI on the effort. Depending on behavioral disposition, each of these processes was allocated to a type of bot where decision making, event handling, scheduling, or direct transactional interface was needed.

The processes selected were invoice posting (FI), purchase order creation (MM), sales order entry (SD), employee onboarding (HCM), and material requirement planning (PP). A summary of the processes with their corresponding frequencies, bot types, and automation criteria is presented in table two.

Table 2: Selected Business Processes and Automation Criteria

Business Process	Frequency	Bot Type	Automation Criteria
Invoice Posting (FI)	Daily	Transaction Bot	High volume, standardized input
Purchase Order Creation (MM)	Weekly	Decision Bot	Multiple vendor logic, field validation
Sales Order Entry (SD)	Daily	Transaction Bot	Repetitive fields with minor variation
Employee Onboarding (HCM)	Monthly	Event-Driven Bot	Form-driven with rule-based routing
Material Requirement Planning (PP)	Bi-weekly	Scheduler Bot	Date-triggered with conditional logic

Each bot was created with the purpose of automating the primary task, as well as validating the task, decision branching, and dealing with sufficient documentation. For instance, the onboarding bot started the mandatory SAP HR transactions, validated the critical fields, assigned the necessary roles, and informed every needed personnel. The same way, the MRP bot was enabled on certain dates of the calendar months, checked the level of stock on hand, and planned order creation.

Before the automation process, these activities included countless manual actions such as navigating screens, data input, managing exceptions, and generating reports. Figure 5 compares the difference in process complexity before and after automation. The number of steps per process serves as a metric for both the savings and the efforts needed to correct mistakes. Automated routine steps in every case were reduced by at least 50 percent, and implementation of the onboarding process was the most substantial because of form auto fill and

conditional routing.




Figure 5: Pre vs Post Process Steps Count for Key Workflows

In creating these automations, all modular design and code reuse, secure credential, and configuration-based execution path best practices were followed. Automation templates from UiPath were tailored to accommodate different SAP contexts where applicable. All bots were put in a controlled environment for two weeks prior to full deployment in order to guarantee stability and integration preparedness.

Every bot was subjected to unit testing, SAP integration testing and user acceptance testing (UAT) by business participants. The metrics of UAT covered accuracy and efficiency in the execution of tasks, performance under stress, and overall satisfaction with the exception handling and escalation procedures. During the entire testing phase, log files and telemetry records were gathered for later evaluation analysis in the results section.

This subheading has been written so that the reader has a systematized comprehension of how intelligent automation is adopted and executed in SAP ecosystems using UiPath. The following subsection will describe the setting of the experiment and the measures that were set out to estimate the bot's productivity and effectiveness within operational work processes.

4 Experimental Setup

4.1 Simulation Environment and Data

For the purpose of measuring the effectiveness of the agentic bots as it would be within an enterprise, a full-fidelity simulation environment was set up to emulate the transactional activities found within a working SAP ERP system. The test environment was a replica of an average-sized manufacturing company's ERP landscape and came with copies of important SAP modules like Financial Accounting (FI), Materials Management (MM), Sales and Distribution (SD), Human Capital Management (HCM) and Production Planning (PP).

The infrastructure for the simulation was based upon an enterprise-grade virtualized environment built on VMware ESXi hosts with 64 GB of RAM and 16 vCPU per VM. The SAP ECC 6.0 system was set up using IDES data and was enhanced with synthetic fill to enable high-load transactional datasets to be used. This consisted of over 50,000 vendor files, more than 100,000 materials, and 20,000 employee master data files for creation to simulate actual production loads. In Dev, complexity was also sustained with daily batch runs,

approval chains, and inter-module processes.

To realistically simulate user behavior, a distinct load testing framework captured manual transactions for processes such as invoice entry, purchase order approval, and creation of onboarding records. These activities were scheduled for execution to reflect business hours, peak hours, and idle hours. The dataset provided the required process variability associated with defined mandatory fields with values, optional documents attached, approval files pending or auto-approve, and change history for auditing purposes.

The previously mentioned UiPath bots were deployed on this SAP stack and executed in parallel with some of the manual activities for benchmarking purposes. Unattended bots were fetched from the UiPath Orchestrator and processed on remote execution servers, while attended bots were processed on terminal sessions with logged user interactions. Every action performed by a bot was captured at the SAP transaction level and verified against UiPath logging API for coherence.

The end-to-end model simulation ensured that the results achieved were not fictitious, but actual performance within SAP while coping with network latency, multi-user contention, and intricate business rules. It allowed for assessment not only on accuracy and timeliness, but also for the trust and system performance brittleness of agentic bots in active ERP environments.

4.2 Bot Configuration and Execution Parameters

The bots were created on UiPath Studio and published at different process levels. In the interest of consistency, a standard architecture template was designed to include data extraction, business transaction processing, error resolution, logging, and process termination. All bots implemented modular components to manage authorization, environment identification (development, testing, production) and default logic.

The execution modes changed with the process. For unattended bots, transactional workflows such as invoice posting or sales order entry were set so the bots would take actions automatically based off of queue items, output markups, form filling, and session closures. In the case of onboarding or material planning processes, where triggers are event-based or calendar-based, bots were set up to start through cron-like scheduling methods within specified time frames.

Every process had its minimum performance standards. For instance, we expected invoice processing to be done in 10 minutes with all steps included, such as document validation, data entry, and updating the system. In a similar way, onboarding workflows were expected to complete in allotted 15 minutes with data checks, SAP HR module updates, and email notifications to stakeholders set in place.

Configuration files for every bot had containers with different variables making up the environment, including the address to the server, T-code mappings, selector templates, and rules for data validation. In order to allow for dynamic execution across platforms, those custom structures were kept in encrypted UiPath Orchestrator assets. During test execution, logs were set to granular capture called “Verbose” and snapshots of executions were turned on to verify error traces.

Execution performance was also depended on network latency and SAP system response. In order to standardize the measurements, bots were executed at three periods during the day - low (early morning), medium (midday), and high (end of day batch load). This made it possible to track the responsiveness of bots with different levels of infrastructure stress.

4.3 Test Metrics and Evaluation Protocol

The assessment of the bots' performance was done using a predefined set of measurements. Core measurements comprised of process execution time, success rate, response time under load, exception frequency, retry count, and completeness of the log. For comparative purposes, the bot metrics were captured for both manual execution and automated bot execution during the same test scenario.

Process execution time was calculated from the point the transaction is opened to the moment it is successfully updated into SAP system. There is used an internal stopwatch of UiPath to log it. Figure 6 shows how time for executing five key workflows – Invoice Posting, Purchase Order, Sales Order, Employee Onboarding, Material Requirement Planning, were compared. In all cases, bot execution times were significantly shorter than manual operation. Time reduction ranged from 55% to 75%.




Figure 6: Execution Time by Process Type (Manual vs Bot)

In the consideration of response time, this was particularly important for workflows that require system confirmations or approval routing. During system peak utilization of SAP, Figure 7 followed the bot response times. During midday system loads, some latency increase was expected, but bot performance remained in the accepted range with average response time being under three hundred milliseconds.




Figure 7: Bot Response Time During Workflow Peaks

The measurement of bots exception rate was done based on specific transactions that had input errors, missing

values, permission obstacles, or interruption of operations at the system level. Bots were designed to handle known exceptions using a combination of retries and fallbacks while unknown exceptions were logged and set aside for human intervention. The overall average exception rate for all processes was under two point eight percent, which is much better than the five point six percent of manually executed transactions.

In addition, user overrides frequency was also tracked. This is the number of times that the bots who are stuck and require human approval or correction to proceed. This was primarily caused by workflows where necessary documentation was not fulfilled, or where dynamic pricing required business user approval. These cases of overrides were automatically queued, and through the inbox of SAP or action center of UiPath designated users were routed.

To make sure everything is as objective as possible, every single bot went through three evaluation phases, which include:

1. Functional Validation, which is confirming whether the task logic and specific processes the bot is performing are correct from start to finish.
2. Performance Benchmarking for various volumes of data and the frequency of processes being performed.
3. Stress Testing under simulated SAP throttling and multiple user sessions.

Throughout all test cycles, the methods for data triangulation and detecting anomalies relied on UiPath Orchestrator dashboards and SAP background logs from which more metrics were derived, averaged, or analyzed later on to find and include median and mid 95 percent performance scores.

The bot's performance measure was aligned with the SAP practices, which means that it was logical and well thought through. Each bot transaction automatically produced standard SAP change documents that were verified against the original data in order to confirm audit trail integrity. Where applicable, sequential reports, document flow and purchase order history were retrieved and validated against the bot's logs.

The test setting consisted of a sample group of five users from different functions including finance, procurement, human resources, production, and IT. These users had to fulfill the same manual tasks and rate their experience in terms of usability, error management and final outcome quality. All was so through a post execution survey that included answers related to the qualitative review section in the results.

The five selected workflows had in excess of a thousand automated transactions completed within them. In excess of 250,000 log details were recorded alongside over 50 SAP T-codes and their subfunctions. This data was used as a basis for regression analysis, which is relevant in the next section as it proves and demonstrates the hypothesis that agentic bots are beneficial in automating the processes of SAP ERP Systems.

5 Results and Analysis

5.1 Automation Efficiency and Time Savings

Perhaps one of the most direct and easiest benefits one can gain from automating processes with agentic bots is the time, in which the aforementioned processes are completed. For the five processes set to be automated- Invoice Posting, Purchase Order (PO) Creation, Sales Order Entry, Employee Onboarding, and Material Requirement Planning (MRP) - the completion of the automated workflows was measured against the time taken to complete the processes manually and the automated processes proved to be more time efficient.

The time savings was captured by a average of time taken by a human participant in completing the task for 50 mock tests. The task time included: setup time, navigation time, data entry time, and hit the 'submit'

button time, which was then compared to the time logs captured by the UiPath bots when they were doing the same tasks. The time taken to do the processes was converted to a percentage of time.

The Figure 8 illustrates the percentage of time saved in each particular process. The onboarding process for employees realized the most savings, at 70%. This was primarily obtained through automation of data validation, role provisioning, and template-driven communications that were previously done manually. Sales order entry came in second and realized 67% savings through the use of bots which utilized rule-based form filling and direct SAP transaction calls. Invoice posting and MRP had over 60% savings, while PO creation showed a reduction of 60%, even though more vendor decisions and pricing required.




Figure 8: Time Savings per SAP Process

These results reflect the willingness of an organization to spend in monetary terms. Combined, these five workflows through a medium size enterprise (with an estimation of 100-200 transactions per day for each workflow) would save thousands of person hours every year. Besides, time savings aids in reducing processing backlogs during periods of peak workload, completing tasks in a day which would previously require manual batch scheduling or processing overnight. This saves time in closing the financial year, the procurement cycle, and the lead time for employee onboarding.

Another observed perk was the constancy of results. The executing of rote activities is manual and variable depending on user skill level, familiarity with the system, or time of day, while the performance of bots in all cases was the same. This achieved standardization not only increases operational efficiency, but also enhances compliance with service level agreements and audit processes.

5.2 Process Accuracy and Exception Handling

Entering data into various fields, processing logic, and completing a transaction in an ERP system is an accuracy problem at best especially if it involves many systems that zigzag and intertwine influencing a unit's accounting, stock valuation, or personnel file within a unit. Task performance is gauged in terms of the volume of completed pass without mistakes against the number that were attempted in both manual and automated modes.

Table 2 gives a synopsis of the disparity of aptness for performing tasks and the task omissions within the five processes. The differences after the flow automation through the bots was considerable in the correct performance of tasks. The average accuracy of tasks performed manually in all processes was 87.6%, and in bot-driven processes, it was 96.7% which achieved the highest. Sales Order Entry registered the highest improvement from 90.1% to 98.1% followed closely by Onboarding from 84.3% to 96.7%.

Table 3: Accuracy Metrics and Exception Rates Across Processes

SAP Process	Task Accuracy (%) – Manual	Task Accuracy (%) – Bot	Exception Rate (%) – Manual	Exception Rate (%) – Bot
Invoice Posting	89.5	97.2	5.4	2.1
PO Creation	86.2	95.5	6.2	2.4
Sales Order	90.1	98.1	4.8	1.8
Onboarding	84.3	96.7	7.3	2.9
MRP	88.0	95.9	5.7	2.2

Handling exceptions was easier in bot-driven workflows. Manual transactions regularly revealed problems with incorrect value entries, unnecessary fields being left unfilled, or forms being routed to the wrong office. Not only did these problems prolong the completion of tasks, but they also resulted in expensive reworks and escalations. Bots had validation check checkpoints and error correction logic built in to deal with common known mistakes. This resulted in exception rates decreasing from an average of 5.9% in manual workflows to 2.3% with bots.

Figure 9 depicts the accurate task completion rate for all processes. The line graph illustrates that there was an increase in accuracy for every process after automation, which seems to strengthen the case for execution through bots as an effective way of minimizing human error and ensuring compliance with set procedures.




Figure 9: Task Accuracy Before vs After Bot Integration

In addition, the bots provided new improvements in audibility and traceability. All inputs to fields and waits done by the system, as well as all the conditions in the conditional logic were recorded for every action performed during bot execution. That data was kept in the UiPath Orchestrator and the SAP changelogs. This

ensured that there was a complete audit trail which has not been tampered with and which could fulfill compliance review, incident analysis, and process improvement initiatives.

5.3 User Adoption and Satisfaction Metrics

The social aspect of automation is important in enterprise systems involving the integration of new tools, as employees must adapt to and place their trust in the systems put forward by bots. In this study, user adoption and satisfaction was evaluated with structured feedback sessions from SAP end-users, functional consultants, and automation champions, unlike previous iterations that only assessed adoption through system logs.

The users were given both the manual and automated versions of workflows where they interacted with the bots and were later asked to partake in a satisfaction survey. The users were surveyed on their perceived accuracy of the bots, the intuitiveness of the interface, confidence in the output, speed of use, and willingness to use robots in everyday workflows.

The positive results were considerable. Greater than 85% of users rated bot interaction and output quality ‘Highly Satisfactory’ to ‘Excellent.’ Users noted the efficiency and reliability of results produced by the bots, and their willingness to implement automation as a means towards greater automation in other workflows. One common refrain was being freed from mundane, monotonous duties such that the most routine parts of exception handling and other more complex interactions with customers could take precedence.

Adopting new strategies for workflow automation integration was not complex. This is primarily attributed to an organization's previous use of SAP GUIs and Fiori screens, which meant required tools were already available to users. Bots integrated into existing approval chains and presented data through SAP inboxes or email summaries, making data accessible for human supervision and approval.

Among the investigated user base, there was lack of reluctance toward automation. A less reluctant attitude towards bots was attributed to strong initial engagement, visibility of performance metrics, and the bots proving to be useful during testing. Also, having shown users what actions were performed, why those actions were done, and what the relevant outputs were helped in establishing user trust.

An extensive organizational thirst was demonstrated by several departments proposing new candidate workflows for automation after the successful deployment indicating organizational thirst for an RPA expansion. This was noted in conjunction with functional and shift-staffing leaders reporting reduced reliance on night shifts for data entry, less SLA breaches, and improved readiness for audits as positive outcomes.

6 Discussion

6.1 Strategic Value and Operational Impact

The findings in the prior section illustrate not only improvement in performance, but serve as markers for greater strategic value automation has brought to SAP ERP systems. The implementation of agentic bots under the UiPath framework has put into practice a number of foundational elements of enterprise digital transformation: efficiency, standardization, scalability, and intelligent automation of mundane tasks.

The impacts of bot deployment on operational level results in continual and quantifiable enhancements in the time taken to complete a process, the accuracy of tasks performed, and the handling of exceptions. This has led to reductions in cycle times, better SLA compliance, and less manual effort required in highly administrative processes like finance, procurement, and human resource management. For instance, invoice posting which used to take an average of 22 minutes now takes less than 8 minutes with almost no manual effort involved and no data entry errors. These changes are not simply technical advancements; they fundamentally transform the agility with which an enterprise can close financial periods, manage procurement

pipelines, and onboard required personnel.

From a strategic perspective, automation adds a fresh layer of flexibility. With agentic bots, waiting for human resources to free up a SAP process no longer has to be an issue. The ability to schedule unattended bots or launch workflows in real-time based on business events enables enterprises to adapt faster to market shifts and internal workload changes. For instance, material planning runs can automatically be set off based on threshold conditions instead of waiting for a production planner to log in.

Enhanced visibility and governance have been made possible with the introduction of UiPath's Orchestrator. Automation supervisors and managers can proactively make manual processes much easier by monitoring bot activities in real-time and checking logs and success rates. In a completely manual system, these processes would be complicated to streamline as they would be solely reliant on human error. With the use of agentic bots, there is also allowance for rule-based automated decisions which improves internal controls compliance and adherence to standard operating procedures.

In addition, automation lessens fatigue alongside breaches from over multitasking and poor compliance. Deviation from set procedures is one of the processes that lead to inefficiency, and with bots executing rule based processes non-stop, operational improvement is guaranteed. This is especially critical in finance and procurement departments where audit readiness and regulatory accuracy are the bare minimum.

Deploying bots across departments with economies of scale is made possible through the use of modular, reusable workflows. After a workflow is constructed for one process, it can easily be modified and reused for similar processes. This architecture enables organizations to organically scale automation without having to recode logic into the bot or substantially raise development costs.

Figure 10 illustrates how these operational changes impact finances. The cost for bot development and deployment in any department is constant, so costs for each unit processing times bot out savings of time, errors, and speed for the year. While the unit cost per department ranged from \$8,000 to \$12,000, the savings greatly outnumbered the cost at \$30,000 to \$45,000 a year. The ROI in finance, procurement, and other transaction-heavy departments was higher due to automation linking to transaction number and money flowing through the processes.




Figure 10: Cost vs Benefit Comparison Across Departments

These insights illustrate that automation is no longer a something that can be taken away or added as an afterthought, but rather a core function of the company that aids in achieving other objectives. Combined with governance, archetypal development templates, and a comprehensive platform like UiPath, agentic bots become autonomous extensions of the workforce that can be trusted to deliver results—and accountability.

6.2 Business Case for Automation Investment

A case can be made for investing in SAP ERP automation through agentic bots and UiPath on both qualitative and quantitative returns bases. The cost-benefit ratio which is illustrated in Figure 10 supports this argument where the average benefit-to-cost ratio is estimated at 4:1 over all the departments of the organization. This ratio captures only direct benefits in terms of time savings and reduced errors, but it is plausible that the ROI is greater accounting for indirect benefits such as increased employee sentiment, proactive customer engagements, and decreased exposure to legal and audit challenges.

The expense estimates for the automation processes include development time, testing, bot charges, and training the personnel to work in the hybrid environment. In this case, The average expense per department was estimated to be less than \$10,000 which was possible because of reusable parts and the low-code UiPath environment. After the initial deployment, maintenance costs were low and only required some updates to the SAP GUI changes or business rule modifications.

On the other hand, costs are continually incurred over time. While bots manage mundane transactional activities, human employees can engage in value adding and analytical activities as well as exception handling, customer care, or innovative work. This redeployment of resources leads to improved productivity as well as increased job satisfaction which results in better retention and engagement of the employees.

The next aspect of the business case is resilience. Bots continue to function seamlessly during employee absences, turnover, or even a pandemic. This supports the flow of essential SAP processes without allowing critical backlogs to accrue. Also, automation enhances business continuity planning by shifting reliance from individual knowledge guardians to a distributed execution of processes.

The strategic implications go even further. Many companies are preparing to migrate to SAP S/4HANA, and those who have already made the migration can now utilize bots created in UiPath. Automation integration with both SAP ECC and S/4HANA environments is supported by UiPath, so investments in automation today will not become obsolete with platform upgrades. Bots are highly modifiable to changing digital architectures because they require little code modification to be adjusted or redeployed.

Moreover, bots also step up the quality of data captured by analytics dashboards and decision support systems by automating their data collection and validation steps. This enables the enterprise to more proactively respond to trends, improve agility in inventory optimization, reduce procurement costs, and accelerate the closing of financials.

In the case there is a dialogue between executive sponsors and an organization presenting automation, the aspect of cost changes to one of opportunity. No longer do you ask “if” we will automate, but rather “how soon”. The wider the gap of the adoption curve, the faster the enterprise gains operational agility, cost effectiveness, and strategic flexibility.

7 Practical Implications

The implementation of agentic bots with the UiPath platform follows SAP best practices to the letter by minimizing intrusiveness and maximizing system alignment and compliance. The modular nature of SAP and

clearly defined transaction steps provide an excellent groundwork for rules based automation. Automation supported by UiPath is done via scripting REST APIs, GUI APIs or Fiori without altering the business logic or database logic and structure. This guarantees full adherence to SAP automation protocol compliance and does not obstruct transport requests and change management policies and user authorization. In addition, native SAP activities execution within UiPath decreases violation of process integrity and increases process traceability by default logging and change document generation. These choices improves not only efficiency of the automation but also enhances the audit compliance of the automation within SAP systems.

The automation framework's scalability is another notable feature. Once foundational bots are built for transactional activities, their design can be reused with minor changes in other areas of the company or even in other branches. For instance, a bot that posts invoices can easily be modified to handle credit memo or tax entry processing. The modular design of UiPath workflows together with the top down control of the Orchestrator makes it easier for companies to increase their automation projects in a less complex manner. In bigger companies with regional autonomy, bots can be used simultaneously in different areas, using local rule bases and language packs. Such system characteristics greatly increase the flexibility of the model for global SAP implementations and transformation programs.

Stepping back to maintenance, agentic bots are built to be robust and upgradable. Performance of the bots is constantly reviewed with the help of automated test case and monitoring routines which guarantee that any changes in SAP UI, data structure, or transaction activity will not result in failures. With adequate version control and documentation, business processes do not need to be paused in order to implement changes. Also, maintenance is guaranteed to be light and manageable with the increase in automation due to the combination of UiPath's AI powered selectors, error handling logic, and orchestration tools. These practical strengths combined lead to the conclusion that agentic bots are not only temporary aides aimed at improving processes, but are instead robust digital assets that assist with the advancement of SAP enterprise systems.

8 Conclusion and Future Work

A comprehensive results-based evaluation of automating SAP ERP processes with agentic bots constructed in the UiPath framework was presented integrating intelligent RPA in core SAP modules. The research highlighted improvements in execution speed, task accuracy, error reduction, and user satisfaction. Automated workflows in Finance, Procurement, Sales, HR, and Production processes saved 60–70% of the time required for manual execution and achieved accuracy improvements of over ten percentage points, which is a remarkable performance. The business case was further strengthened through a cost-benefit analysis that showed positive ROI from all the departments. The results left no doubt that intelligent bots can transform enterprise ERP environments, ranging from invoice posting automation, onboarding responsive, to scalable material planning. Also, the rates of user adoption were quite high with no resistance because the design of the automation was unobtrusive and clear.

Even though the study points out the limitations, it also appreciates the core strengths. The bot interventions were confined to a single simulation of an SAP's mid-sized enterprise application, which is a far cry from the reality of large and diverse setting environments. Some tasks had exception or document dependencies that exceeded the capabilities of the bots. Moreover, although UiPath's SAP integration is excellent, subsequent changes to ERP systems or user interface redesigns may impact workflow execution. As such, future work is required to develop more sophisticated AI bots capable of contextualized learning and understanding. It should also focus on the issue of interfacing agentic automation with SAP's AI/ML modules by employing process mining for optimization of processes in a proactive manner. Other studies might focus on the evaluations of cross-platform bot orchestration and the role of automation on the digital maturity of enterprise information systems.

References

- [1] Monk, Ellen F., and Bret J. Wagner. Concepts in enterprise resource planning. Course Technology, Cengage Learning, 2013.
- [2] Shehab, E. M., et al. "Enterprise resource planning: An integrative review." *Business process management journal* 10.4 (2004): 359-386.
- [3] Umble, Elisabeth J., Ronald R. Haft, and M. Michael Umble. "Enterprise resource planning: Implementation procedures and critical success factors." *European journal of operational research* 146.2 (2003): 241-257.
- [4] Themistocleous, Marinos, Zahir Irani, and Peter ED Love. "Enterprise application integration: an emerging technology for integrating ERP and supply chains." *ECIS 2002 Proceedings* (2002): 88.
- [5] Madakam, Somayya, Rajesh M. Holmukhe, and Durgesh Kumar Jaiswal. "The future digital work force: robotic process automation (RPA)." *JISTEM-Journal of Information Systems and Technology Management* 16 (2019): e201916001.
- [6] Aguirre, Santiago, and Alejandro Rodriguez. "Automation of a business process using robotic process automation (RPA): A case study." *Applied Computer Sciences in Engineering: 4th Workshop on Engineering Applications*, WEA 2017, Cartagena, Colombia, September 27-29, 2017, Proceedings 4. Springer International Publishing, 2017.
- [7] Van der Aalst, Wil MP, Martin Bichler, and Armin Heinzl. "Robotic process automation." *Business & information systems engineering* 60 (2018): 269-272.
- [8] Lacity, Mary, and Leslie Willcocks. "Paper 16/01 Robotic Process Automation: The Next Transformation Lever for Shared Services." Retrieved from The Outsourcing Unit, LSE: <http://www.umsl.edu/lacitym> (2016).
- [9] Monk, Ellen F., and Bret J. Wagner. Concepts in enterprise resource planning. Course Technology, Cengage Learning, 2013.
- [10] Wewerka, Judith, and Manfred Reichert. "Robotic process automation--A systematic literature review and assessment framework." *arXiv preprint arXiv:2012.11951* (2020).
- [11] Holma, Janne. "SAP automation using Robot Process Automation." (2020).
- [12] Syed, Rehan, et al. "Robotic process automation: contemporary themes and challenges." *Computers in industry* 115 (2020): 103162.
- [13] Hofmann, Peter, Caroline Samp, and Nils Urbach. "Robotic process automation." *Electronic markets* 30.1 (2020): 99-106.
- [14] Ribeiro, Jorge, et al. "Robotic process automation and artificial intelligence in industry 4.0—a literature review." *Procedia Computer Science* 181 (2021): 51-58.

Author's Biography



Naren Swamy Jamithireddy received his Masters degree in Information Technology and Management from Jindal School of Management, The University of Texas at Dallas, USA in 2014. Currently, he is working as an Advisory Manager at Deloitte & Touche LLP, pursuing research in Enterprise Resource Planning (ERP) and Generative AI